



Overview

The Apple® LaserWriter® IISC is Apple's entry-level, single-user laser printer for the Macintosh® personal computer. It brings the individual Macintosh user full-page, high-resolution (300 dpi) text and graphics print capability at an affordable price.

With the LaserWriter IISC printer, Macintosh system users can produce near-typeset-quality documents—from correspondence, proposals, and presentations to price lists, spreadsheets, and forms—while saving both time and money.

The LaserWriter IISC comes with four font families: Times®, Helvetica®, Courier, and Symbol.

Features

Benefits

▶ Full-page, high-resolution text and graphics	▶ Provides 300-dot-per-inch resolution over the entire page, for high-quality documents.
▶ Motorola 68000 processor	▶ Allows high-performance printing at up to 8 pages per minute.
▶ Variety of Macintosh typefaces and type sizes	▶ Prints a wide range of type sizes in the most popular typefaces: Times, Helvetica, Courier, and Symbol.
▶ SCSI interface	▶ Transfers data at high speeds for fast printing. ▶ Allows daisy-chaining of up to six additional peripheral devices.
▶ Background printing	▶ With the MultiFinder™ software, allows you to continue work on your Macintosh computer while printing.
▶ LaserWriter II family print engine	▶ Uses the second-generation engine common to all LaserWriter II models, offering a logical upgrade path.
▶ Versatile paper handling	▶ Comes with choice of face-down or face-up output trays. ▶ Offers adjustable manual feed for labels and envelopes. ▶ Features interchangeable paper trays for different paper sizes.
▶ Print-media versatility	▶ Lets you print on almost any material—including standard photocopy paper, letterhead, labels, envelopes, and transparency film—for maximum flexibility in meeting your printing needs.
▶ Improved toner system	▶ Offers darker blacks and longer life than previous LaserWriter cartridges.

Product Details	<p>QuickDraw</p> <p>Built into every Macintosh computer is QuickDraw, a set of text and graphics routines. The LaserWriter IIsc relies on those routines to print.</p>	<p>Users</p> <p>The LaserWriter IIsc is dedicated to single Macintosh Plus, SE, or II systems through the SCSI port. This connection also allows you to daisy-chain as</p> <p>as many as six additional SCSI devices, such as hard disks.</p>
Upgrade Options	<p>Your LaserWriter IIsc printer can be upgraded to a LaserWriter II</p>	<p>or LaserWriter IIINTX by your authorized Apple dealer.</p>
System Requirements	<p>To use the Apple LaserWriter IIsc printer, you must have a</p>	<p>Macintosh II, SE, or Plus computer, with System software 5.1 or greater.</p>



LaserWriter IIsc

Technical Specifications

Marking engine

- ▶ Canon LBP-SX laser xerographic

Processor

- ▶ Motorola 68000 (7.45-megahertz clock speed)

Memory

- ▶ 16 kilobytes ROM; 1 megabyte RAM

Interfaces

- ▶ SCSI and Apple Desktop Bus™ (for future expansion) ports

Macintosh fonts (on disk)

- ▶ Times, Helvetica, Courier, and Symbol typefaces in 9-, 10-, 12-, 14-, 18-, and 24-point sizes. (For best results, these fonts should be installed in the System file of your Macintosh computer from the disks shipped with the LaserWriter IIsc.)

Speed

- ▶ 8 pages per minute maximum throughput (actual speed depends on images printed)

Print quality

- ▶ All text and graphics printed at 300 by 300 dots per inch, full page

Print materials

- ▶ Letter, legal, A4, and B5 sizes using 16- to 20-pound single-sheet photocopy bond, 8- to 34-pound letterhead and colored stock, or transparency overhead film. Envelopes, labels, and paper (up to 36-pound) supported via manual feed. Envelopes also supported via optional envelope tray.

Print capacities

- ▶ Paper cassettes hold 200 sheets of 20-pound paper.
- ▶ Optional envelope cassette holds 15 envelopes.

Printable surface

- ▶ Letter size: 8.0 by 10.5 inches; legal: 8.0 by 13.0 inches; A4: 7.41 by 10.86 inches; B5: 7.69 by 10.16 inches (actual printable area may vary depending on application)

Size and weight

- ▶ Height: 8.6 in. (21.8 cm)
- ▶ Width: 20 in. (50.8 cm) With letter tray attached, 26.4 in. (67.1 cm)
- ▶ Depth: 18.5 in. (47 cm)
- ▶ Weight: 45 lb. (20.25 kg)

Operating environment

- ▶ Temperature: 50° to 90° F (10° to 32° C)
- ▶ Humidity: 20 percent to 80 percent

Power requirements

- ▶ 90 to 126 volts AC; 50 to 60 hertz

Ordering Information

Apple LaserWriter IIsc

Order No. M6200

With your order, you'll receive:

- ▶ LaserWriter IIsc printer
- ▶ LaserWriter IIsc Fonts disks
- ▶ LaserWriter II Installation disk
- ▶ Letter cassette
- ▶ Toner cartridge
- ▶ Owner's guide
- ▶ Limited warranty statement