



# Tech Info Library

## Installing VisiSchedule On Catalyst 2.0 For The Apple III

Revised: 12/10/85  
Security: Everyone

Installing VisiSchedule On Catalyst 2.0 For The Apple III

=====

You may move VisiSchedule to a hard disk for use with Catalyst 2.0, but you will be required to keep the VisiSchedule Program disk in the internal drive. These instructions assume you are moving VisiSchedule to a ProFile (with driver name .PROFILE). Substitute the name of your hard disk driver for .PROFILE if you wish to install VisiSchedule on a different hard disk.

### COPY PROCEDURE:

1. Boot the Catalyst diskette (if you haven't already).
2. From the Catalyst main menu, select the System Utilities Program.
3. Enter "F" for FILE HANDLING COMMANDS.
4. Enter "M" for MAKE A NEW SUBDIRECTORY.
5. Enter ".PROFILE/CATALYST/VISISCHEDULE" with a default size of 25 files.
6. Press "ESCAPE".
7. Enter "C" for COPY FILES.
8. Copy the SOS.INTERP file from the VISISCHEDULE BOOT disk to the file ".PROFILE/CATALYST/VISISCHEDULE/INTERPRETER".

To do this, type ".D1/" and press the up arrow key. A list of files are displayed in a box. The up and down arrow keys allow you to move an inverse bar over the name of your choice. Pressing the right arrow key marks the file so as to include it in the copy process. Mark all files to be copied in this way. When all the appropriate files are marked, press RETURN. Then enter ".PROFILE/CATALYST/VISISCHEDULE/INTERPRETER" for the file to copy to and press return.

9. Copy the SYSTEM.STARTUP file from the VISISCHEDULE PROGRAM disk to the file ".PROFILE/CATALYST/VISISCHEDULE/SYSTEM.STARTUP".
10. When all files have been copied, press ESCAPE and return to the main menu.
13. Enter "\*.PROFILE/CATALYST/VISISCHEDULE,SYSTEM.STARTUP" for the program path.
14. You will be asked if this entry is correct. If it is, enter "Y" then press ESCAPE to exit to the main edit menu. If you made any mistakes during entry, enter "N". You may then enter the number of the item you wish to correct. When

all items are correct, press ESCAPE. Press ESCAPE again to exit to the main edit menu.

15. Enter "5" to update the INTERPS file. When you are asked if you want to recalculate the load address, enter "Y".

16. Exit to the Catalyst main menu by entering "Q".

When you first select VISISCHEDULE from the Catalyst Main Menu, it will prompt you to install the VISISCHEDULE program disk in the internal drive. Do so and the program should run perfectly.

NOTE: Apple Computer Inc. is not responsible for the contents of this article.

Quark Technical Support

Tech Info Library Article Number:1566