



**Eudora® Email 6.2  
New Features Manual  
for Macintosh**

This manual was written for use with the Eudora for Macintosh software version 6.2. This manual and the Eudora software described in it are copyrighted, with all rights reserved. This manual and the Eudora software may not be copied, except as otherwise provided in your software license or as expressly permitted in writing by QUALCOMM Incorporated.

Export of this technology may be controlled by the United States Government. Diversion contrary to U.S. law prohibited.

Copyright ' 1992-2004 by QUALCOMM Incorporated. All rights reserved.

Copyright ' 1988-1992 by the University of Illinois Board of Trustees.

Portions of the Eudora software were written by John Norstad, Copyright ' 1988-1990 Northwestern University, and David Johnson, Copyright ' 1984 Brown University. All rights reserved.

The LDAP Library is Copyright ' 1992-1996 by the Regents of the University of Michigan. All rights reserved.

QUALCOMM, Eudora, Eudora Pro, Eudora Light, and QChat are registered trademarks of QUALCOMM Incorporated.

PureVoice, SmartRate, MoodWatch, WorldMail, and the Eudora logo are trademarks of QUALCOMM Incorporated.

Apple, AppleTalk, Macintosh, and the Apple logo are registered trademarks and QuickTime, AppleTalk, LocalTalk, Keychain, and MacTCP are trademarks of Apple Computer, Inc.

Adobe, Acrobat, and Acrobat Exchange are registered rademarks of Adobe Systems Incorporated.

Microsoft, Windows, Outlook Express, Outlook 2000, and Internet Explorer are registered trademarks of Microsoft Incorporated in the United States and/or other countries.

All other trademarks and service marks are the property of their respective owners.

**NOTICE:THIS IS A CONTRACT. BY INSTALLING AND USING THIS SOFTWARE, YOU ARE AGREEING TO BE BOUND BY ALL THE TERMS AND CONDITIONS OF THIS AGREEMENT. PLEASE READ CAREFULLY BEFORE PROCEEDING. IF YOU DO NOT AGREE TO THESE TERMS, PROMPTLY DESTROY ALL COPIES OF THE SOFTWARE IN YOUR POSSESSION.**

Use of the Eudora software and other software and fonts accompanying your license (the Software ) and its documentation is at your sole risk. The Software and its documentation (including this manual), and QUALCOMM s software maintenance and extended maintenance, if applicable, are provided AS IS and without warranty of any kind and QUALCOMM and QUALCOMM s Licensor(s), including but not limited to the University of Illinois and Apple Computer, Inc. (collectively herein referred to as QUALCOMM ), EXPRESSLY DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND AGAINST INFRINGEMENT. QUALCOMM DOES NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE SOFTWARE WILL MEET YOUR REQUIREMENTS, OR THAT THE OPERATION OF THE SOFTWARE WILL BE UNINTERRUPTED OR ERROR-FREE, OR THAT DEFECTS IN THE SOFTWARE WILL BE CORRECTED. FURTHERMORE, QUALCOMM DOES NOT WARRANT OR MAKE ANY REPRESENTATIONS REGARDING THE USE OR THE RESULTS OF THE USE OF THE SOFTWARE OR ITS DOCUMENTATION IN TERMS OF THEIR CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE. NO ORAL OR WRITTEN INFORMATION OR ADVICE GIVEN BY QUALCOMM OR A QUALCOMM AUTHORIZED REPRESENTATIVE SHALL CREATE A WARRANTY OR IN ANY WAY INCREASE THE SCOPE OF THIS WARRANTY. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY.

UNDER NO CIRCUMSTANCES INCLUDING NEGLIGENCE, SHALL QUALCOMM AND ITS DIRECTORS, OFFICERS, EMPLOYEES OR AGENTS BE LIABLE FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF PROFITS, LOSS OF BUSINESS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION AND THE LIKE) ARISING OUT OF THE USE OR INABILITY TO USE THE SOFTWARE OR ITS DOCUMENTATION, EVEN IF QUALCOMM OR A QUALCOMM

JURISDICTIONS DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY.

In no event shall QUALCOMM s total liability to you for all damages, losses, and causes of action (whether in contract, tort [including negligence] or otherwise) exceed the amount paid for the Software and its documentation.

## Acknowledgments

The Eudora software was designed and written by Steve Dorner, Pete Resnick, John Boyd, Alan Bird, Martin Naiman, John Purlia, Clarence Wong, Christine Park, Forest Hill, Scott Gruby, and Marshall Clow. Quality assurance performed by Matt Dudziak and Gwen Huntley. Other contributors to this version of Eudora are Danny Atwood, Craig Beck, Ellen Boemer, Anton de Anda, Matt Dudziak, Bill Ganon, Steve Han, Carolyn Schultz, Dawn Shump, Joe Toth, and Jim Ybarra. This manual was written by Eugene Son. Earlier manuals were written by Armand Rouleau, Justine Correa, Ron Durban, and Steve Janoff. Icons were designed by EarthLore and Arlo Rose.

Thanks to Tim Maroney for the folder-choosing code, John Norstad for the window placement code, John Bruner for the Mishawaka font, Ray Davison for the Include Self code, David Johnson for the BinHex code, and Cal Simone of Mainstay for help in redesigning Eudora's AppleScript Dictionary.

The SpamHeaders plug-in was made easy thanks to the Boost Regular Expression Library, one of a group of free, peer reviewed portable C++ libraries maintained at <<http://www.boost.org>>.

The SpamWatch plug-in was heavily influenced by work done by Paul Graham, and publicized in his article "A Plan for Spam" <<http://www.paulgraham.com/spam.html>>, and additional suggestions made by Gary Robinson in his Linux Journal article "Spam Detection" <<http://radio.weblogs.com/0101454/stories/2002/09/16/spamDetection.html>>.

Finally, thanks to all the users and testers of Eudora, whose suggestions have made it a much better program than it otherwise would have been.

## About the Name

Why the name Eudora?

When looking for a name for this new Post Office Protocol mail program, we thought immediately of the title of the short story *Why I Live at the P.O.*, and named the program after the author of the story, Eudora Welty.

*Why I Live at the P.O.* can be found in a collection entitled *A Curtain of Green and other stories* (Harcourt Brace & Co.). Ms. Welty's stories are funny, sad, and fascinating; she's surely one of the great American writers.

---

# Contents

## **Eudora 6.2 New Features Guide**

Emoticons	5
ScamWatch (URL Protection)	10
IMAP	11
iChat	15
Dock icon	16
Live Search	17
SSL	17

# Eudora 6.2 New Features

Welcome to Eudora® 6.2! This document describes the new features and functions in Eudora 6.2 for the Macintosh.


- **Emoticons.** Graphic icons add fun to your email.
- **ScamWatch (URL Protection).** Check suspicious links before you click them, avoiding scams.
- **IMAP.** Enhanced IMAP support in Eudora makes it easier to delete messages when not online.
- **iChat.** Quick launching of Apple's iChat software from the Eudora Address Book.
- **Dock icon.** Improved integration with Mac OS X's Dock.
- **Live Search.** Search results are updated with new mail checks.
- **SSL.** Greater compatibility and improved handling of SSL (Secure Socket Layer).

## Emoticons

Emoticons are characters used to indicate an emotion or expression. In internet communication, emoticons such as smiley faces can add an extra level of context to email messages.

Eudora can now display emoticons as graphic icons. Incoming email that have emoticons in them will be displayed with graphics.

### *Emoticons display as graphic icons*



## Sending Emoticons

There are three ways to put emoticons in an outgoing email message. You can type the emoticon characters directly into your message, you can use the emoticon pull-down menu in a new composition window, or you can use the “Insert Emoticon” command under the Edit menu.

### **To type an emoticon**

1. When composing a new email message, click your cursor in the body of the message.
2. Type the emoticon characters. Eudora will automatically replace the characters with a graphic emoticon.

### Emoticons

  -O (Yawn)	 :-  (Whatever)
 X;{ (Sick)	 :-X (Lips Sealed)
 O:-) (Halo)	 :-P (Stick Out Tongue)
 >:D< (Hug)	 :-D (Laugh)
 >:-o (Angry)	 :-[ (Embarrassed)
 >:-} (Evil Grin)	 :-) (Happy)
 =D> (Applause)	 :- (Sad)
 =-O (Surprise)	 :-\$ (Money Mouth)
 <:-  (Foolish)	 :-/ (Undecided)
 ;-) (Wink)	 :-* (Kiss)
 8-) (Cool)	 :-! (Foot in Mouth)
 @>----- (Rose)	 :'( (Cry)

For example if you type the characters :-) in a new email message, Eudora will replace :-) with the happy face  graphic icon.

### To choose an emoticon from a pull-down menu


1. When composing a new email, click your cursor in the body of the message.
2. From the formatting toolbar above your new message window, click the  button.

The emoticon submenu appears with the list of available emoticons.



3. From the list, click on an emoticon.

The emoticon appears in the outgoing email message.




## To use the Insert Emoticon command

1. When composing a new message, go to the **Edit** menu.

The menu appears below the **Edit** menu.

2. Choose **Insert Emoticon**.

*A menu appears displaying the emoticons.*



3. From the list, click on an emoticon. The selected emoticon will appear in the outgoing message.

**NOTE:** Emoticon display is controlled by the program reading the email message. Emoticons are not sent as image files with your outgoing email, so if the recipient of your email message is not using Eudora 6.2, their emoticons may display differently.

## Turning Emoticon Display On and Off

Emoticon settings are controlled in Eudora in the Font & Display settings.

## To turn Display of Emoticons as Graphics on and off

1. From the Special menu, choose **Settings**.

*The settings window will appear.*

2. Scroll and click the **Fonts & Display** icon.
3. To turn Emoticons on, place a checkbox next to **Display emoticons as pictures**.  
To turn Emoticons off, uncheck this checkbox.

## ScamWatch (URL Protection)

Many email scams use misleading URLs to trick users to click on their links. What appears to be a legitimate web site address often hides a malicious URL link.


Eudora now features URL Protection, which makes it easy to quickly determine if the URL is legitimate before you click on it.

### Using URL Protection

To use URL protection, move your mouse over the URL link in any incoming email message.

If the host name of the URL differs from the link that appears in the email or is otherwise suspect, Eudora will display the true destination URL in a yellow help tag.

### *Eudora displays the true URL*




If the URL is suspicious, Eudora will display a warning message in the help tag.

### *Eudora displays a warning message and the true URL*



If you click on a suspicious URL, a new window will appear with another warning message.

### *Warning Message*



Click **Cancel** and the suspicious URL will not be opened. Otherwise, click **Visit** to open the URL in your preferred web browser.

## IMAP

Eudora 6.2 makes changes to the way IMAP messages are transferred and deleted.

### Transferring Messages

Eudora 6.2 now supports transferring of IMAP messages from IMAP mailboxes to local mailboxes while offline.

## Deleting Messages

In previous versions of Eudora, deleted messages (messages marked for deletion) continued to appear inside the IMAP mailbox.

In Eudora 6.2, deleted messages are immediately removed from view.

## Showing Deleted Messages

Deleted messages are immediately removed from view. The **Show Deleted Messages** command from the Options menu will display these message.

### To display the Options menu

1. From the **Window** menu, choose **Mailboxes**. If you have an IMAP mail account configured, the Options button appears as the fourth button in the Mailboxes window.
2. Select one or more IMAP mailboxes, then click the **Options** button.

*The Option pull down menu appears.*

### Options pull down menu



3. From this menu, **Show Deleted Messages** displays the messages marked for deletion in the selected mailbox(es).


## Auto-Expunge

IMAP messages marked for deletion are removed from view but continue to take up space in the IMAP mailbox until they are expunged. When IMAP auto-expunge is active, mailboxes are periodically purged of deleted messages.

### Turning on auto-expunge

1. From the **Special** menu, choose **Settings**.  
*The settings window will appear.*
2. Scroll and click the **Personality Extras** icon.
3. From the drop down menu, choose the personality for your IMAP mail account. Control the Auto Expunge settings using the buttons under **Remove Deleted Messages**.

### IMAP Auto Expunge Settings



- **Always** - If this is set, Eudora will immediately remove deleted messages from IMAP mailboxes.
- **Never** - Eudora will never automatically remove deleted messages from IMAP mailboxes.
- **When percentage of deleted exceeds 20%** (default) - Eudora will permanently remove deleted messages from IMAP mailboxes, when the space in a mailbox used up by messages marked for deletion exceeds this percentage. The default is 20%.

## Manual Expunge

If auto-expunge is not turned on, remove deleted messages by manually expunging them or by compacting the mailbox. To manually expunge messages, use the **Remove deleted messages** command from the IMAP Options menu.

### To display the Options menu

1. From the **Window** menu, choose **Mailboxes**. If you have an IMAP mail account configured, the Options button appears as the fourth button in the Mailboxes window.
2. Select a mailbox (or multiple IMAP mailboxes), then click the **Options** button.

*The Options pull down menu appears.*

### Options pull down menu



3. From this menu, **Remove Deleted Messages** deletes messages from the IMAP server that were marked for deletion.

## iChat

iChat is Apple's instant messaging software installed with Mac OS X. Eudora 6.2 includes a quick way to launch Apple's iChat software from the Eudora Address Book.


### To Launch iChat from the Address Book

1. From the **Window** menu, choose **Address Book**.

*The Address Book window opens.*

2. Select a username that you wish to begin a chat session with.

### The Eudora Address Book



If the Address Book entry has an iChat account listed under the Home tab, the **iChat** button will be available next to the To: , Cc: , and Bcc: buttons.

3. Click on the **iChat** button.

*Eudora will launch iChat and open a new chat window for the selected user.*

## Dock icon

Eudora 6.2's icon on the Macintosh OS X Dock now displays the number of unread messages in the icon. The number of unread messages will be displayed in the colored box.

By default, the icon displays the number of unread message in open mailboxes.

### The Eudora icon on the Mac OS X Dock.



## Live Search

Eudora 6.2 introduces Live Search. Search results now automatically update if new mail arrives that match the search criteria.

If you have a Search window open and Eudora downloads new mail, Eudora will include that new mail in the search and will update the search results.

**TIP:** Searches can be saved, by going to **File: Save As:**. Saved searches left open will be re-opened and updated whenever Eudora is launched.

## SSL

Eudora 6.2 provides greater compatibility and improved handling of SSL (Secure Socket Layer).

If a new SSL certificate is chained to a trusted root certificate, Eudora will automatically trust the new certificate.