


Adobe InDesign® 2.0

Mac OS

QUICK REFERENCE CARD



Toolbox shortcuts

- Press shortcut key (shown in parentheses) to select tool (except with text insertion point).
- Press ⇧ to constrain dragging or drawing to straight line, circle, square, or multiples of 45°.
- ⌘-drag (with insertion point) or spacebar (no insertion point) to temporarily select . To select , you can also press ⌘ + spacebar, and then release ⌘.
- Press X to switch between fill and stroke, or ⇧ + X to switch fill and stroke colors.
- Double-click (polygon tool), (pencil tool), (smooth tool), or (eyedropper tool) to set options.
- Double-click , , or to open the tool's dialog box.
- Double-click to activate Gradient palette.
- Double-click to switch to Fit in Window view.
- Double-click to switch to Actual Size view (100%).

Note: Some Macintosh keyboards do not include individual Home and End keys. Instead, you can use the fn modifier key. For example, instead of pressing ⌘ + Home to move to the beginning of a table row, hold down ⌘, and then press fn + (Home).

Selecting and moving objects

RESULT	ACTION
Temporarily selects or (last used)	Any tool (except selection tools) + ⌘
Temporarily selects (group-selection tool)	+ ⌥; or + ⌥ ⁺ , or + ⌥ ⁻ + ⌘
Adds to or subtracts from a selection of multiple objects	, , or + ⇧ -click (to deselect with , click center point)
Duplicates selection when appears	, , + ⌥ -drag *
Duplicates and offsets selection**	+ ⇧, ⇧, ⇧, or ⇧
Duplicates and offsets selection by 10 times**	+ ⇧ + ⇧, ⇧, ⇧, or ⇧
Moves selection**	⇧, ⇧, ⇧, or ⇧

RESULT	ACTION
Moves selection by 10 times**	⇧ + ⇧, ⇧, ⇧, or ⇧
Selects master page item from document page	or + ⇧ + ⌘ -click
Selects next object behind or in front	+ ⌘ -click or + ⌥ + ⌘ -click
Selects next object under pointer or in front of selected object	+ ⌘ +] or [
Selects next or previous frame in story	+ ⌘ + Page Down or Page Up
Selects first or last frame in story	⇧ + ⌥ + ⌘ + Page Up or Page Down

*Press Shift to constrain movement to 45 degree angles.

**Amount is set in Edit > Preferences > Units & Increments.

Editing paths and frames

RESULT	ACTION
Temporarily selects	+ ⌥ + ⌘, or + ⌥
Temporarily switches between and	
Temporarily selects	⇧ + ⌥

RESULT	ACTION
Keeps selected when pointer is over path or anchor point	+ ⇧
Moves anchor point and handles while drawing	+ spacebar


Tables

RESULT	ACTION
Insert Table	⇧ + ⌥ + ⌘ + T
Insert row	⌘ + 9
Insert column	+ ⌘ + 9
Insert or delete rows or columns while dragging	Begin dragging row or column border, and then hold down as you drag
Delete row	⌘ + Delete
Delete column	⇧ + Delete
Resize rows or columns without changing the size of the table	⇧ -drag interior row or column border
Resize rows or columns proportionally	⇧ -drag right or bottom table border
Move to next cell	Tab
Move to previous cell	⇧ + Tab
Move to first cell in column	+ Page Up
Move to last cell in column	+ Page Down

RESULT	ACTION
Move to first cell in row	+ Home
Move to last cell in row	+ End
Move to first row in frame	Page Up
Move to last row in frame	Page Down
Start row on next column	Enter (numeric keypad)
Start row on next frame	⇧ + Enter (numeric keypad)
Toggle between selecting and deselecting cell	Esc
Select cell	⌘ + /
Select row	⌘ + 3
Select column	+ ⌘ + 3
Select entire table	+ ⌘ + A
Table Options dialog box	+ ⌘ + T
Cell Options dialog box	+ ⌘ + B

Common palette shortcuts

- A. Double-click to cycle among full, partial, and collapsed views of palette.
- B. Drag to move palette.
- C. Click to collapse or expand palette completely.
- D. Click to create item; -click to create item and set options. Drag onto button to duplicate item.
- E. Click to delete item; -click to delete without confirmation.



- click to select range of styles, layers, links, swatches, or library objects.
- click to select nonconsecutive styles, layers, links, swatches, or library objects.
- Tab in value to apply and select next value.
- Esc to move focus to selected object, text, or window.
- With no insertion point, Tab to show or hide all open palettes.
- With no insertion point, + Tab to show or hide all open palettes except the toolbox.
- + -click in list, and then use keyboard to select item by name.



Other common palette shortcuts

- Double-click item to change options.
- + Enter to apply value and keep focus on option.
- Use + (plus), - (minus), * (times), / (divided by), or % to perform calculations in values.
- or to increase or decrease measurement values by a small increment.
- + or + to increase or decrease measurement values by a large increment.
- + ~ to activate last-used option in last-used palette.

Character and Paragraph palettes

Character and paragraph shortcuts

- + + + J to open Justification dialog box.
- + + J to open Paragraph Rules dialog box.
- + + K to open Keep Options dialog box.
- + T or + M to activate Character or Paragraph palettes.




Tabs palette

- Click tab alignment button (left, right, center, or decimal), then click tab ruler; or type a value for X and press + Enter to create a new tab at the specified location.
- Drag tab to new location, or type a value and press Enter to move tab.
- -click tab to switch between alignment options.
- + + T to activate palette.

Layers palette

- A. Click to show or hide layer (eye icon if visible). Drag through eye icon column to show or hide specific ranges of layers; -click eye icon to show all layers or hide others.
- B. Click to lock or unlock layer (crossed-out pencil icon if locked). Drag through locked column to lock or unlock multiple layers; -click to unlock all layers or lock others.
- C. Drag layer to move; -click to select all objects on layer; + -click to add to a selection.
- D. Drag square to a different layer to move a selected object to that layer; -drag to copy selection to new layer; -drag to move selection to locked or hidden layer; + -drag to duplicate selection to locked or hidden layer.




- E. -click to place new layer at top of list.
 + -click to place new layer below selected layer.

Another layers shortcut

- F7 to activate palette.

Pages palette

- A. Click to select a master. Double-click to go to and activate a master. Drag to blank portion of page area to create a page or spread with that master applied. Drag to page or page numbers, or -click with page selected to apply master. Drag to another master or -click master with another master selected to base one master on another.
- B. One-page spread. Drag to move page to a new location. Drag to blank portion of masters area to save page as a master.
- C. Two-page spread
- D. Letter indicates assigned master.
- E. Highlighted numbers indicate active spread.
- F. Section marker. Double-click to redefine section.
- G. Highlighted icon indicates selected page or spread. Click to select a page. Double-click to go to and activate a single page of a spread.
- H. Multi-page spread
- I. Page number or section number. Click to select a spread. Double-click to go to and activate a spread.
- J. -click to create master; -click to display Insert Pages dialog box; + -click to set master options.



Other pages shortcuts

- F12 to activate palette.
- + + P to add a new page after the current page.

Transforming objects

RESULT	ACTION
Duplicates and transforms selection	 ,  , or  +  -drag*
Displays Transform palette	Double-click  ,  , or  in toolbox
Resizes selection proportionately	 + ⇧
Increases size by one percent**	⌘ + .
Decreases size by one percent**	⌘ + ,

RESULT	ACTION
Resizes graphics frame and content	 + ⌘ -drag
Constrains proportion	 ,  , or  + ⇧ -drag

*After you select the transform tool, hold down the mouse button, and then hold down Option and drag. Press Shift to constrain movement to 45 degree angles.

**Press Option to increase or decrease size by five percent.

Finding and changing text

RESULT	ACTION
Inserts selected text into Find What box	⌘ + F1
Inserts selected text into Find What box and finds next	⇧ + F1
Finds next occurrence of Find What text	⇧ + F2 or  + ⌘ + F

RESULT	ACTION
Inserts selected text into Change To box	⌘ + F2
Replaces selected text with Change To text	⌘ + F3
Replaces selected text with Change To text and finds next	⇧ + F3

Working with type

RESULT	ACTION
Bold	⇧ + ⌘ + B
Italic	⇧ + ⌘ + I
Normal	⇧ + ⌘ + Y
Underline	⇧ + ⌘ + U
Strikethrough	⇧ + ⌘ + /
All caps (on/off)	⇧ + ⌘ + K
Small caps	⇧ + ⌘ + H
Superscript	⇧ + ⌘ + + (plus sign)
Subscript	⇧ +  + ⌘ + + (plus sign)
Resets horizontal/vertical scale to 100%	⇧ + ⌘ + X or ⇧ +  + ⌘ + X
Aligns left, right, or center	⇧ + ⌘ + L, R, or C
Justifies all lines	⇧ + ⌘ + F (all lines) or J (all but last line)
Increases or decreases point size*	⇧ + ⌘ + > or <
Increases or decreases point size by 5 times*	⇧ + ⌘ +  + > or <
Increases or decreases leading*	 +  or 
Increases or decreases leading by 5 times*	 + ⌘ +  or 
Selects or deselects preferences setting for typographer's marks	⇧ +  + ⌘ + "

RESULT	ACTION
Autoleading	⇧ +  + ⌘ + A
Aligns to grid (on/off)	⇧ +  + ⌘ + G
Auto-hyphenates (on/off)	⇧ +  + ⌘ + H
Increases or decreases kerning and tracking	 +  or 
Increases or decreases kerning and tracking by five times	 + ⌘ +  or 
Increases kerning between words*	 + ⌘ + \
Decreases kerning between words*	 + ⌘ + Delete
Clears all manual kerning and resets tracking to 0	 + ⌘ + Q
Increases or decreases baseline shift**	⇧ +  +  or 
Increases or decreases baseline shift by 5 times	⇧ +  + ⌘ +  or 
Automatically flows story	⇧ -click loaded text icon
Semi-automatically flows story	 -click loaded text icon
Recomposes all stories	 + ⌘ + /
Inserts current page number	 + ⌘ + N
Inserts section marker text (or placeholder)	⇧ +  + ⌘ + N

*Press Shift to increase or decrease kerning between words by 5 times.

**Amount is set in Edit > Preferences > Units & Increments.

Navigating through and selecting text

RESULT	ACTION
Moves to right or left one character	⬆ or ⬇
Moves up or down one line	⬆ or ⬇
Moves to right or left one word	⌘ + ⬆ or ⬇
Moves to start or end of line	Home or End key
Moves to previous or next paragraph	⌘ + ⬆ or ⬇
Moves to start or end of the story	⌘ + Home or End key
Selects one word	Double-click word
Selects one word right or left	⇧ + ⌘ + ⬆ or ⬇

RESULT	ACTION
Selects one character right or left	⇧ + ⬆ or ⬇
Selects one line above or below	⇧ + ⬆ or ⬇
Selects start or end of line	⇧ + Home or End key
Selects one paragraph	Triple-click or quadruple-click paragraph, depending on Text Preferences setting
Selects one paragraph before or after	⇧ + ⌘ + ⬆ or ⬇
Selects current line	⇧ + ⌘ + \
Selects characters from insertion point	⇧ - click
Selects start or end of story	⇧ + ⌘ + Home or End key

Viewing

RESULT	ACTION
	spacebar (with no text insertion point), ⌥ -drag (with text insertion point), or ⌘ + spacebar, and then release ⌘
	⌘ + spacebar
	⌥ + ⌘ + spacebar or  + ⌥
Fits page in window	⌘ + 0
Fits spread in window	Double-click  or ⌥ + ⌘ + 0
Displays 100% magnification	⌘ + 1 or double-click 
Zooms to 50%, 200%, or 400%	⌘ + 5, 2, or 4
Redraws screen	⇧ + F5
Switches between current and previous zoom levels	⌥ + ⌘ + 2
Scrolls up or down one screen	Page Up or Page Down
Goes back or forward to last-viewed page	⌘ + Page Up or Page Down
Goes to previous or next spread	⌥ + Page Up or Page Down
Cycles through units of measurement	⇧ + ⌥ + ⌘ + U
Snaps guide to ruler increments	⇧ -drag guide
Selects first or last frame	⇧ + ⌥ + ⌘ + Page Up or Page Down
Selects previous or next frame	⌥ + ⌘ + Page Up or Page Down

RESULT	ACTION
Selects page number in page box	⌘ + J
Goes to master page while Pages palette is closed	⌘ + J, type prefix of master, press Enter
Selects magnification box in document window	⌥ + ⌘ + 5 (main keyboard)
Switches between page and spread guides (creation only)	⌘ -drag guide
Creates vertical and horizontal ruler guides for the spread	⌘ -drag from zero point
Typical display resolution	⌥ + ⌘ + Z
Optimized display resolution	⌥ + ⌘ + 0
High-quality display resolution	⌥ + ⌘ + H
Selects all guides	⌥ + ⌘ + G
Locks or unlocks zero point	Control-click zero point and choose option
Uses current magnification for view threshold of new guide	⌥ -drag guide
Selects buttons in alert dialog boxes	Press first letter of button name, if underlined
Information on installed plug-ins and InDesign components	⌘ + Apple menu > About InDesign


Indexing

RESULT	ACTION
Index palette	⇧ + F8
Create index entry without dialog box	⌥ + ⌘ + U

RESULT	ACTION
Create proper name index entry (last name, first name)	⇧ + ⌘ + F8
Open Add Page Reference dialog box	⌘ + U

Links palette

- Indicates missing item.
- Indicates out-of-date item.
- Indicates embedded item.
- Select and click Go to Link button (F) or – double-click to go to the linked item. Double-click to display Link Information dialog box. – double-click to select all filenames.
- Click to relink item.
- Click to go to a linked item.
- Click to update out-of-date links.
- Click to open item in original application.



Another links shortcut


- + + D to activate palette.

Color palette

- Tint mode
- CMYK mode
- Click to determine whether color applies to text frame or text.
- Color bar. Click to select a color for fill or stroke; –click to select a color for the nonactive fill or stroke; –drag a slider to move sliders in tandem.


Other color shortcuts

- click color bar to change color modes.
- F6 to activate palette.



Character and Paragraph Styles palettes

- Click to remove style, but not local formatting, from selected text; –click to remove style and local formatting.
- Click to apply character or paragraph style. When applying a paragraph style, click a paragraph style name to preserve local formatting and character styles; –click to override local formatting but preserve character styles; –click to override all local formatting and character styles.



- Select text, and then press + + + R to make paragraph style definition match text.
- + + –double-click style to change options without applying style.
- F11 or + F11 to activate Paragraph Styles or Character Styles palette, respectively.

Other styles shortcuts

- Select text, and then press + + + C to make character style definition match text.

Transform palette

- Proxy icon
- Object's location
- Object's size

Other transform shortcuts

- + Enter to apply value and copy object.
- + Enter to apply width, height, or scale value proportionately.
- F9 to activate palette.





Table palette

- Number of rows and columns
- Row height and column width
- Vertical alignment within cell
- Text rotation
- Cell inset


Another table shortcut

- Shift + F9 to activate palette.



Swatches palette

- Select whether to affect stroke or fill.
- Select whether to affect text or container.
- Sets fill or stroke to None.
- Indicates CMYK mix.
- Indicates registration color.
- Indicates spot color.
- Indicates process color.
- Indicates RGB mix.
- Shows all swatches.
- Shows color swatches.
- Shows gradient swatches.



Other swatches shortcuts

- Drag swatches to object strokes or fills.
- click New Swatch button to create a new swatch based on the current swatch.
- + + –double-click swatch to change options without applying swatch.
- F5 to activate palette.

- click New Swatch button to create a spot color swatch based on the current swatch.
- + + –double-click swatch to change options without applying swatch.
- F5 to activate palette.

